

## Nota entomològica

*Norrbomia somogyii* (Papp, 1973): a new record to Spain  
(Diptera, Sphaeroceridae)

Miguel Carles-Tolrá

Avda. Príncipe Asturias, 30 ático 1<sup>o</sup>. 08012 Barcelona. Spain

**Key words:** diptera, faunistic data, *Norrbomia*, Spain, Sphaeroceridae

**Abstract.** *Norrbomia somogyii* (Papp, 1973) is recorded from Spain for the first time. Further additional data to another species of *Norrbomia* are given.

**Resumen.** *Norrbomia somogyii* (Papp, 1973): una nueva cita para España (Diptera, Sphaeroceridae). La especie *Norrbomia somogyii* (Papp) se cita por primera vez en España. Además se dan más datos sobre otra especie de *Norrbomia*.

Some years ago, the author collected 2 sphaerocerid exemplars belonging to two different species of *Norrbomia* Papp (1988). This recent described genus was separated from *Borborillus* Duda (1923) on male genital characters only. As comment by himself (Papp, 1988: 395) «A majority of the species in the Palaearctic region assigned hitherto to *Borborillus* (Papp, 1984) belongs actually to *Norrbomia*». So, until the males of the species included in *Borborillus* are studied, the total number of species of *Norrbomia* is still unknown. Up to now only 1 species of this genus had been recorded from Spain (Carles-Tolrá, 1990a-c).

### *Norrbomia somogyii* (Papp, 1973a)

Barcelona: Cabril. 1.10.1989 1♂, on horse dung, M. Carles-Tolrá leg. According to Papp's description (page 379) this species bears thick, arcuate aspines on the cerci (terminal processes). The Spanish male lacks these spines, having instead only short hairs. Likewise, the posterior hairs of the surstyli (valvulae laterales) are shorter. According to Papp (pers. com., 1992) it could be considered as a new subspecies, but for the moment the author prefers not to describe it until more material is collected. Hitherto known from Hungary, Kirghizia, Tajikistan and

Mongolia (Papp, 1984; pers. com., 1992). Therefore, this finding represents the first record to Spain and the second record to Europe.

*Norrbomia sordida* (Zetterstedt, 1847)

Barcelona: Cabrils, 1.10.1989 1♂, on horse dung, M. Carles-Tolrá leg. This species is distributed in the palaearctic oriental, neotropical and pacific regions (Papp, 1984). This finding represents the first record to the province of Barcelona, previously recorded from the province of Lérida (Carles-Tolrá, 1990c) and Mallorca (Papp, 1973b).

**Acknowledgements**

My most sincere thanks to Dr. Papp (Budapest) for having identified the exemplar of *N. somogyii*, as well as for his comments.

**References**

- Carles-Tolrá, M. 1990a. Catálogo de los Sphaeroceridae de España Peninsular e Islas Baleares (*Diptera, Acalyptratae*). Ses. Entom. ICHN-SCL. 6(1989): 213-220.  
Carles-Tolrá, M. 1990b. Contribución al estudio de los Diptera, Cyclorrhapha, Acalyptratae (*Insecta*) de España peninsular. Tesis Doctoral. Facultad de Biología, Barcelona. 621 pp.  
Carles-Tolrá, M. 1990c. New species and records of Sphaeroceridae (*Dipt.*) from Spain. Entomologist's mon. Mag., 126: 33-46.  
Duda, O. 1923. Revision der altweltlichen Arten der Gattung *Borborus* (*Cypselia*) Meigen (*Dipteren*). Arch. Naturgesch., 89. A(4): 35-112.  
Papp, L. 1973a. Sphaeroceridae (*Diptera*) from Mongolia. Acta zool. Acad. Sci. hung., 19(3-4): 369-425.  
Papp, L. 1973b. Sphaerocerids from the Balearic Islands and Finland (*Diptera, Sphaeroceridae*). Folia ent. hung.n.s., 26 (2): 357-362.  
Papp, L. 1984. Family Sphaeroceridae: 68-107. In Soos: Catalogue of Palaearctic Diptera. Volume 10. Clusiidae-Chloropidae. Elsevier Sci. Publ., Amsterdam & Akadémiai Kiadó. Budapest. 402 pp.  
Papp, L. 1988. A review of the Afrotropical species of *Norrbomia* gen. n. (*Diptera, Sphaeroceridae, Copromyzini*). Acta Zool. Hung., 34(4): 393-408.  
Zetterstedt, J.W. 1847. *Diptera scandinaviae disposita et descripta*. Lundae (= Lund), 6: 2163-2580.